

Colour printer and MFP

RICOH
P C311W
M C251FW

✔ Printer ✔ Copier ✔ Scanner ✔ Fax



Vibrant business colour

Adding impact to your everyday print communication, these desktop devices put vibrant and productive colour printing within easy and affordable reach.

Class-leading functionality

- Vibrant colour output
- 25 ppm productivity
- Print from any device
- Low running costs
- Best in class security — including SNMPv3-encrypted communications for device monitoring

Combining class-leading functionality with low total costs of ownership, these compact A4 devices are made for business. Keeping pace with demand, they deliver immaculate double-sided colour and black and white output at a productive 25 pages per minute. And, with WiFi Direct making it easy to connect, these productive desktop printers can be shared by multiple users.

Productive time-saving features

- Printer and/or 4-in-1 MFP
- Colour touchscreen panel
- Fast, single-pass scanner
- Optional 2nd paper tray



Easy to install, they will work seamlessly in virtually any environment. Windows, Mac and even Linux are supported and, to improve access, users can connect using AirPrint, Mopria. And, with WiFi Direct and Near Field Communication (NFC) built in, it has never been easier to join a network. What is more, with their ultra high yield cartridges extending print cycles and reducing costs, these reliable desktop devices offer best-in-class total costs of ownership.

Easy installation and support

- Windows, Mac and Linux
- AirPrint, Mopria
- Near Field Communication
- UHY toner cartridges

RICOH P C311W / M C251FW


MAIN SPECIFICATIONS

| | P C311W | M C251FW |
|--|--|--------------------------------|
| GENERAL | | |
| Configuration | Desktop | |
| Technology | Laser | |
| Warm-up time | 20 seconds | |
| First copy speed: B/W | 9.4 seconds | |
| First copy speed: full colour | 9.8 seconds | |
| Continuous output speed | 25 ppm | |
| Memory: standard | 256 MB | |
| Memory: maximum | 256 MB | |
| SPDF capacity (M C251FW) | sheets | - |
| Duty cycle | 65,000 | |
| Duplex | Yes | |
| Weight | 25 kg | 30 kg |
| Dimensions: W x D x H | 400 x 450 x 334 mm | 420 x 493 x 473 mm |
| Power source | 220 - 240 V, 50 - 60 Hz | |
| COPIER (M C251FW) | | |
| Multiple copying | Up to 99 copies | - |
| Zoom | From 25% to 400% in 1% steps | - |
| ID card copy | Yes | - |
| PRINTER | | |
| Printing process | Laser beam scanning, electro-photographic printing | |
| Printer language: standard | PCL5c, PCL6, PostScript® 3™ | |
| Print resolution | 2,400 x 600 dpi | |
| Font | Standard: PCL (80 fonts), PS3 (80 fonts) | |
| Network interface: standard | Ethernet 10 base-T/100 base-TX, Wireless LAN (IEEE 802.11 a/b/g/n), USB 2.0 | |
| Mobile printing capability | Apple AirPrint, Mopria® | |
| Windows® environments | Windows® 8.1 Windows® 10 Windows® Server 2012 Windows® Server 2012R2 Windows® Server 2016 Windows® Server 2019 | |
| Mac OS environments | Macintosh OS X v10.10 - v11 | |
| Other supported environments | Linux environment | |
| SCANNER (M C251FW) | | |
| Scanning: B/W | 21 ipm | - |
| Scanning: full colour | 12 ipm | - |
| Resolution: maximum | 1,200 dpi | - |
| Resolution: standard | 600 dpi | - |
| Bundled drivers | Network TWAIN | - |
| Scan modes | E-mail, Folder, USB | - |
| FAX (M C251FW) | | |
| Circuit | PSTN | - |
| Compatibility | ITU-T(T.37) Internet-Fax | - |
| Transmission speed | seconds | - |
| Modem speed: maximum | Kbps | - |
| Internet fax | Standard | - |
| LAN fax | Standard | - |
| PAPER HANDLING | | |
| Recommended paper size | A4, A5, A6, B4, B5 | |
| Paper input: standard | 250 sheets | |
| Paper input: bypass (standard) | 1 sheets | |
| Paper input: maximum | 751 sheets | |
| Paper output: standard | 150 sheets | |
| Paper weight | Trays60 - 163 g/m ² Optional tray(s)60 - 105 g/m ² Bypass60 - 163 g/m ² Duplex60 - 90 g/m ² | |
| ECOLOGY | | |
| Power consumption: operation | B&W: 412 W, Full colour: 450 W | B&W: 422 W, Full colour: 444 W |
| TEC* | 0.3 kWh/week | 0.31 kWh/week |
| INPUT/OUTPUT TRAYS AND FINISHER OPTIONS | | |
| 1x 500-sheet paper tray | | |

RICOH P C311W / M C251FW

MAIN SPECIFICATIONS

| CONSUMABLES | P C311W | M C251FW |
|---|--|--------------|
| Starter toner | Black: 1,000 prints, Cyan: 1,000 prints, Magenta: 1,000 prints, Yellow: 1,000 prints | |
| Toner (black) | | 6,900 prints |
| Toner (cyan) | | 6,300 prints |
| Toner (magenta) | | 6,300 prints |
| Toner (yellow) | | 6,300 prints |
| Consumable yield measuring method ISO/IEC 19798 | | |
| 25 | | |
| 750 | | |



COMMISSION REGULATION (EU) 2019/2020. The light source of this product is not intended for applications other than image printing.

Ricoh Europe (Netherlands) B.V.

"Nieuw Kronenburg" Prof.
W.H. Keesomlaan 1
1183 DJ Amstelveen
The Netherlands

 +31 (0)20 5774111

 ricoh-europe.com